

Enhancing User Experience through Emotion-Aware Interfaces: A Multimodal Approach

Dr. Vijayakumar T

Department of Computer Science & Engineering, Nandha College of Technology, Erode.

E-mail: vijayprahu@gmail.com

Abstract

The ability of a system or entity—such as an artificial intelligence system, computer program, or interface—to identify, comprehend, and react to human emotions is known as emotion awareness. In human-computer interaction, where the aim is to develop more intuitive and sympathetic systems that can comprehend and adjust to users' emotional states, this idea is especially pertinent. Improving user experience with emotion-aware interfaces is a multifaceted problem that calls for a multimodal strategy. Through the integration of several modalities, such as auditory, haptic, and visual feedback, interface designers may develop systems that not only react to user inputs but also identify and adjust based on the emotional states of users. The way users interact in the multimodal domain of emotion awareness will be explained in this research. Following that, a multimodal exploration of the user's experience with emotion awareness will take place.

Keywords: Emotion Awareness, Emotion Recognition, Multimodal Interaction, HCI.

1. Introduction

The process of recognizing human emotion is called emotion recognition. The degree to which people can accurately identify the emotions that other people experience varies greatly. The field of study on using technology to assist humans in recognizing emotions is still in its infancy. In general, context-aware multimodality technology performs well. Automating the identification of written expressions through text, spoken expressions using audio, facial

expressions through video, and physiology as determined by wearables has received the greatest attention to date.

Emotion recognition is becoming a more popular technique in academic research to investigate social science issues related to democracy, demonstrations, and elections. Politicians frequently display happiness, according to many studies that examine their social media facial expressions. But according to this research, machine vision systems like Amazon Recognition can only be accurate when it comes to happiness and are generally dependable as "happy detectors." Because negative emotions like rage are expected during protests, researchers studying these events have created individual models to more precisely analyse negative and violent expressions in democratic processes. [15]

An alternative to typical text-based sentiment analysis is multimodal sentiment analysis, which takes into account modalities including audio and visual data. It can be trimodal, combining three modalities, or bimodal, containing various combinations of two modalities. The vast amount of social media data that is readily available online in various formats, including videos and images, has led to the evolution of conventional text-based sentiment analysis into more sophisticated models of multimodal sentiment analysis. These models can be used, among other things, in the creation of virtual assistants, the analysis of news videos, YouTube movie reviews, and emotion recognition (also referred to as emotion detection) in situations like depression monitoring.

One of the most fundamental tasks in multimodal sentiment analysis, akin to traditional sentiment analysis, is sentiment categorization, which divides various attitudes into groups like positive, negative, and neutral. The intricacy of examining textual, auditory, and visual characteristics necessitates the use of several fusion methodologies, including feature-level, decision-level, as well as hybrid fusion. The kind of textual, auditory, and visual characteristics used in the study affects how well these fusion approaches and the algorithms for classification used perform [16].




Figure 1. Different Kinds of Emotion Recognition [14]

2. Literature Survey

From the research work [1], the process of identifying, assessing, interpreting, and reacting to individual feelings and emotions—which might range from joy to fear to humiliation—is known as emotion recognition. Research on emotion identification has received fresh and crucial momentum thanks to the COVID-19 pandemic. Throughout the COVID-19 pandemic, a wide range of emotions and ideas were expressed and shared on social media platforms, reflecting the mental health of the broader public. This paper provides an overview of many freely available and highly accurate emotion acquisition technologies in order to better understand the current ecosystem of applied emotion detection. Additionally, it contrasts the most popular datasets for emotion recognition. Lastly, it talks about several deep learning and machine learning classifiers that may be used to get high quality features for classification.

T Henriques [2] Understanding and enhancing the overall user experience in interactive systems requires an understanding of the user's emotional state. It is also crucial in situations where this knowledge could help us assist users in managing and expressing their emotions, such as anxiety, which can have a significant impact on their day-to-day activities and social interactions. However, despite the evident potential of emotionally-aware applications, a number of obstacles stand in the way of their broader availability. These obstacles can occasionally be attributed to the low translational nature of affective computing research and the dearth of simple techniques for the seamless integration of emotion in programs. Given these difficulties, the work offers a theoretical framework for how affective computing research might be integrated with the study of emotion in multimodal interactive systems. In keeping with this aim, a proof-of-concept application that allows for multimodal interaction with

Spotify and a first implementation of an affective general modality are shown. These examples demonstrate how the modality may be used to offer emotional context in interactive situations.

The research [4] offers a novel AI-powered technique for emotion identification to enhance communication between humans and computers. Emotions influence behaviour, decision-making, and communication. The authors built a deep learning model for analysing speech intonation, facial expressions, and linguistic patterns to reliably predict emotions across many datasets. In order for computers to connect with humans and understand and react to their emotional states, emotion recognition is essential. A variety of AI-driven emotion identification methods, such as deep learning, computer vision, & natural language processing techniques, are assessed in this comparative research. The benefits, drawbacks, and performance measures of each method are evaluated on a variety of dataset and real-world applications. The goal of the project is to find the most efficient and adaptable technique for recognizing emotions in order to improve human-computer interaction across a range of fields.

The study [3] fills a unique gap in the literature by conducting a thorough analysis of relevant works, which leads to the development of a sharp 3-layer framework. This framework, which includes the fundamentals of emotion analysis, smooth technological integration, careful privacy concerns, and practical implementation, provides a guide for future development. Above all, the novel idea of emotion-intelligent systems, which arises from the innovative combination of emotion data with cutting-edge technology is presented. To pave the way for a future of clever machines that are more emotionally sensitive, the study skillfully navigates the complicated terrain of developing emotionally aware intelligent systems, overcoming obstacles along the way. These cutting-edge systems have the potential to drastically alter how people interact with technology, opening up new research directions.

De Santana [5] explained that in interpersonal interactions, emotional expressiveness is vital. But the ageing process brought on by certain diseases, including Alzheimer's and other dementias, might impair the capacity for emotional expression. The authors have provided an approach for automatically identifying emotions using multimodal data in this setting. In order to enable the customization of therapy for senior citizens suffering from dementia, the proposed system developed a human-machine interface using artificial intelligence algorithms as the foundation for the approach. Emotional input from this instrument can adjust the therapy. This

is anticipated to enhance the treatment outcomes. The efficiency of the suggested architectures was assessed in this work with respect to their capacity to identify emotions in speech, physiological, and facial expression pictures.

In this research work, Stoynov explains [6] the integration of emotional awareness into mobile networks is a noteworthy breakthrough in this field, which inspired this paper's concept of the Emotion-aware Networking Paradigm (ENP). The goal of ENP is to give mobile networks the capacity to recognize and comprehend user emotions in order to customize services. This study presents the Emotion-aware Networking paradigm (ENM), a paradigm to implement ENP in 5G mobile networks, outlining its primary features, functionalities, and organizational structure. In addition, this study provides examples of possible use cases and examines the opportunities and difficulties associated with ENM. This article also introduces the Emotion-Aware Service and User Profile Management Function (EASUPMF) for ENM, which is intended to maximize the potential of ENM through user profile management and emotion recognition-based personalized emotional services delivery. According to the study, by providing personalized services based on user emotions, ENM has the potential to revolutionize the mobile network industry and improve user experiences.

Eunjung Lee [7], explained that one of the primary goals for creating next-generation interaction among users in computer systems is now machine identification of emotion. Although influence recognition technology has advanced significantly in recent years, software user interfaces are still in the early phases of applying human emotion identification. With an emphasis on appearance, the creation for an emotion-aware user interface is presented. Additionally, the proposed work also suggests a platform for emotion-aware UI writing that aids designers in producing visually striking effects that convey emotion. A prototype framework was created using the creator tool DAT4UX to show that it is feasible. The tool may include the final design into an application for mobile devices that has the ability to recognise emotions. Using the technology, a proof-of-concept application with an emotional intelligence interface is created.

Muhammad Asif Razzaq [8] article applies generalised mixture (GM) functions to an enhanced combination process, taking into consideration the significance of differences across several modalities and assigning them dynamic weights. Consequently, the author introduced a multi-view learning strategy for unimodal emotion identification and introduce multimodal feature fusion level and decision level fusion utilising GM functions in the hybrid multimodal

emotion recognition (H-MMER) framework. The proposed framework's capacity was assessed to represent a set of four distinct emotional states—happiness, neutrality, sadness, and anger—in an experimental investigation and discovered that GM functions allow for the good and considerably high modelling of the majority of these states. The experiment demonstrates that, in comparison to conventional methods, the suggested framework significantly improves performance and can represent emotional states overall a standard accuracy of 98.19%. The evaluation's overall findings show the reliable detection emotional states and strengthen the emotion categorization system that is necessary for measuring user experience.

Prasad Chaudhari [9] suggest MahaEmoSen, a multimodal Marathi sentiment evaluation technique that is emotion-aware. In contrast to previous research, the emotions included in tweets in addition to absorbing both the written and optical modalities of social network postings' content-based information to carry out a sentiment categorization are included. The issue of limited training sets by applying strategies for data augmentation is also addressed. On the textual modality, a word-level attention technique is used for tweet noise reduction and contextual inference. The results of the experiments on real-world social media datasets show that, under resource constraints, the suggested approach performs better for Marathi sentiment analysis than the state-of-the-art techniques.

This work [10] reviews the three kinds of multimodal affective BCI (aBCI) and primarily discusses the advancements in research into multimodal emotion recognition using BCI. These include aBCIs based on heterogeneous sensory stimuli, aBCIs based on various hybrid neurophysiology modalities, and aBCIs based on a combination of behaviour and brain signals. The number of typical multimodal a BCI systems for each category of aBCI, covering their design concepts, paradigms, algorithms, experimental findings, and associated benefits are explored. Lastly, number of crucial problems and future lines of inquiry for BCI-based multimodal emotion identification were highlighted.

Table 1. The User Experience on the Emotion Aware Interfaced Works

S. No	Title	Uses	User Experience
1	A systematic survey on multimodal emotion recognition using learning algorithms [1]	Different emotion acquisition tools and Discusses the various machine and deep learning classifiers	Tools for fine-grained emotion analysis and acquisition with an emphasis on virtual reality and sensing technologies
2	Emotionally-aware multimodal interfaces: Preliminary work on a generic affective modality	Multimodal Interactive System	Creates a stand-alone data collection module and extracts emotions from several data types, including voice, text, and audio. facilitating the convergence of gesture and voice events.
3	Exploring Emotion Analysis using Artificial Intelligence, Geospatial Information Systems, and Extended Reality for Urban Services	Artificial intelligence (AI), geospatial information systems (GIS), extended reality (XR)	Make urban areas that are more inclusive and user-centric and that encourage happiness and well-being. There are a few obstacles that need to be overcome before emotion-aware systems may be successfully used in practical applications.
4	AI-driven Emotion Recognition for Enhanced Human-Computer Interaction: Advancements, Ethical considerations, and Emotional Intelligence	Assesses AI-driven methods for recognising emotions, such as those based on computer vision, deep learning, and natural language processing	Result in better user experiences and higher user satisfaction
5	Emotion Recognition from Multimodal Data: a machine learning approach combining classical and hybrid deep architectures	AI algorithms as a means of automatically identifying emotions from multimodal data.	Discovered that emotions could be classified with up to 99% accuracy from physiological markers and about 80% accuracy from speech cues. The method's

			potential use for the analysis of emotions in multimodal data is suggested by the favourable test stage findings.
6	A Novel Emotion-Aware Networking Model for Enhanced User Experience in 5G networks	The Emotion-aware Networking Model (ENM) in 5G mobile networks describes the structure and functionality of ENP.	According to the research, by providing personalised services based on user emotions, ENM has the potential to revolutionise the mobile network industry and improve user experiences.
7	A design platform for emotion-aware user interfaces	Creation of a visually appealing user interface that is sensitive to emotions.	To run tests on its usability and the impact of different animations and visual elements. The prototype implementation and the suggested framework could be used as a testing ground for creating user interfaces that are sensitive to emotions.
8	A Hybrid Multimodal Emotion Recognition Framework for UX Evaluation Using Generalized Mixture Functions	Using a multi-view learning method, the hybrid multimodal emotion recognition (H-MMER) framework	Shows that we can accurately recognise emotional states and enhance the emotion detection system needed for measuring user experience.
9	MahaEmoSen: Towards Emotion-aware Multimodal Marathi Sentiment Analysis	provided a multimodal Marathi sentiment analysis technique that is emotion-aware.	To filter out noisy words from tweets and facilitate contextual inference, a word-level attention technique is used to the textual modality.

10	Advances in multimodal emotion recognition based on brain–computer interfaces	The development of multimodal affective BCI research, which examines three different forms of multimodal emotion recognition (aBCI).	Advancements in multimodal aBCI research to show how hBCI methods may be used to overcome these obstacles.
----	---	--	--

3. User experience through Emotion-Aware Interfaces

Emotion-aware interface design enhances user experience by creating systems that not only react to input from users but also detect and adjust to their emotional states. To improve people's interactions with technology by making them more intuitive and sympathetic. When using emotion-aware interfaces to improve user experience, keep the following important factors in consideration:

3.1 Emotion Recognition

- Use sophisticated sensors and algorithms to identify gestures, verbal intonations, and facial emotions.
- Analyse physiological information, such as skin conductivity and heart rate, using machine learning algorithms to deduce emotional states.



Figure 1. Emotion Recognition [11]

3.2 Haptic Feedback

- Create user interfaces that use touchscreens or haptic gloves to deliver tactile feedback.

- Adapt vibrations pattern and intensities to the emotional state of the user.
- Integrate aural and visual signals with haptic feedback to create a more engaging and productive experience.




Figure 2. Haptic Feedback for Sensing [12]

3.3 Adaptive Visual Elements

- Design interfaces that change their appearance according on recognised emotions.
- Make advantage of visual effects, animations, and colour schemes that complement the user's emotional condition.
- Utilise facial recognition software to customise the user interface according to their emotional profile.

3.4 Auditory Feedback

- Use music and soundscapes that correspond with various emotional states.
- Based on identified emotions, modify the system alerts' pitch, tone, and loudness.
- Give sympathetic, well contextualised oral comments.




Figure 3. Audio Extraction using Multimodal [13]

3.5 User Feedback and Input

- Implement mechanisms for users to provide feedback on the accuracy of emotion recognition.
- Allow users to calibrate and fine-tune the system's understanding of their emotional expressions.
- Prioritize transparency in the system's emotional analysis process to build user trust.

4. Discussion

Emotions can be better understood by using multi-modal emotion expressions that include complementing information from several emotion modalities. Several articles have been written about the recognition of emotions. The comparison for the numerous articles on emotion recognition is covered above [table 1] under the multimodal theory. Every concept will have its technology used more effectively than in previous works, and overall flaws will be reduced to ensure accuracy and clarity. The aforementioned comparisons largely improve user satisfaction and advance emotion detection technologies.

5. Conclusion

The use of emotion recognition is broad in a variety of fields, including biometric security and human-computer interface. Thus, it sheds light on artificial intelligence, also known as machine intelligence, which models the human brain using a variety of supervised and unsupervised machine-learning techniques. This study will provide an explanation of the numerous comparisons of articles which employ emotion recognition to ascertain the user's

experience. Every approach provides users with varying perspectives on how to use the recognition process. Additionally, this research study clarifies the many methods in which people interact with emotion-aware interfaces. In the future, a large portion of user thinking analysis will go towards emotion recognition.

Reference

- [1] Ahmed, Naveed, Zaher Al Aghbari, and Shini Girija. "A systematic survey on multimodal emotion recognition using learning algorithms." *Intelligent Systems with Applications* 17 (2023): 200171.
- [2] Henriques, Tiago, Samuel Silva, Susana Brás, Sandra C. Soares, Nuno Almeida, and António Teixeira. "Emotionally-aware multimodal interfaces: Preliminary work on a generic affective modality." In *Proceedings of the 8th international conference on software development and technologies for enhancing accessibility and fighting info-exclusion*, pp. 80-87. 2018.
- [3] Rokhsaritalemi, Somaieh, Abolghasem Sadeghi-Niaraki, and Soo-Mi Choi. "Exploring Emotion Analysis using Artificial Intelligence, Geospatial Information Systems, and Extended Reality for Urban Services." *IEEE Access* (2023).
- [4] <https://www.eurchembull.com/uploads/paper/a9b136de256c3963db55df20a3c92ec6.pdf>
- [5] de Santana, Máira Araújo, Flávio Secco Fonseca, Arianne Sarmiento Torcate, and Wellington Pinheiro dos Santos. "Emotion Recognition from Multimodal Data: a machine learning approach combining classical and hybrid deep architectures." *Research on Biomedical Engineering* 39, no. 3 (2023): 613-638.
- [6] Stoynov, Viktor. "A Novel Emotion-Aware Networking Model for Enhanced User Experience in 5G networks." In *2023 33rd Conference of Open Innovations Association (FRUCT)*, pp. 296-308. IEEE, 2023.
- [7] Lee, Eunjung, Gyu-Wan Kim, Byung-Soo Kim, and Mi-Ae Kang. "A design platform for emotion-aware user interfaces." In *Proceedings of the 2014 Workshop on Emotion Representation and Modelling in Human-Computer-Interaction-Systems*, pp. 19-24. 2014.

- [8] Razzaq, Muhammad Asif, Jamil Hussain, Jaehun Bang, Cam-Hao Hua, Fahad Ahmed Satti, Ubaid Ur Rehman, Hafiz Syed Muhammad Bilal, Seong Tae Kim, and Sungyoung Lee. "A Hybrid Multimodal Emotion Recognition Framework for UX Evaluation Using Generalized Mixture Functions." *Sensors* 23, no. 9 (2023): 4373
- [9] Chaudhari, Prasad, Pankaj Nandeshwar, Shubhi Bansal, and Nagendra Kumar. "MahaEmoSen: Towards Emotion-aware Multimodal Marathi Sentiment Analysis." *ACM Transactions on Asian and Low-Resource Language Information Processing* 22, no. 9 (2023): 1-24.
- [10] He, Zhipeng, Zina Li, Fuzhou Yang, Lei Wang, Jingcong Li, Chengju Zhou, and Jiahui Pan. "Advances in multimodal emotion recognition based on brain–computer interfaces." *Brain sciences* 10, no. 10 (2020): 687.
- [11] Hassouneh, Aya, A. M. Mutawa, and M. Murugappan. "Development of a real-time emotion recognition system using facial expressions and EEG based on machine learning and deep neural network methods." *Informatics in Medicine Unlocked* 20 (2020): 100372.
- [12] Zhu, Minglu, Zhongda Sun, and Chengkuo Lee. "Soft modular glove with multimodal sensing and augmented haptic feedback enabled by materials' multifunctionalities." *ACS nano* 16, no. 9 (2022): 14097-14110.
- [13] Rahdari, Farhad, Esmat Rashedi, and Mahdi Eftekhari. "A multimodal emotion recognition system using facial landmark analysis." *Iranian Journal of Science and Technology, Transactions of Electrical Engineering* 43 (2019): 171-189.
- [14] Abdulsalam, Wisal Hashim, Rafah Shihab Alhamdani, and Mohammed Najm Abdullah. "Emotion recognition system based on hybrid techniques." *International Journal of Machine Learning and Computing* 9, no. 4 (2019).
- [15] https://en.wikipedia.org/wiki/Emotion_recognition#:~:text=Emotion%20recognition%20is%20the%20process,a%20relatively%20nascent%20research%20area.
- [16] https://en.wikipedia.org/wiki/Multimodal_interaction#:~:text=Multimodal%20human%2Dcomputer%20interaction%20refers,in%20both%20input%20and%20output.