

Lung Pathology Detection: A Qualitative and Comprehensive Survey of Deep Neural Networks Utilising CT, MRI, and PET Imaging Modalities

Yellepeddi Samba Siva Krishna Assish¹, Kuppusamy P.²

School of Computer Science and Engineering, VIT-AP University, Andhra Pradesh, India.

E-mail: ¹yellepeddi.22phd7108@vitap.ac.in, ²drpkscse@gmail.com

Orchid ID: ¹0009-0007-5432-7868, ²0000-0001-5369-8121

Abstract

In March 2020, the World Health Organisation (WHO) identified COVID-19 as a global pandemic brought about by the SARS-CoV-2 virus. RT-PCR continued to be the first line of diagnosis, but its slow turnaround emphasized the need for faster, complementary diagnostic modalities. Imaging techniques like chest X-rays (CXR), computed tomography (CT) scans, and ultrasound were soon in high demand; yet manual assessment was time-consuming and susceptible to faults. To overcome these challenges, artificial intelligence (AI), and more so deep learning (DL), has proven to be a revolutionary instrument through feature extraction automation and enhanced diagnostic accuracy. This survey differentiates itself from reviews that have already been conducted by providing an exhaustive review of state-of-the-art DL architectures engineered for COVID-19 analysis on various imaging modalities, also highlighting under-investigated aspects like prognostics, rehabilitation assistance, and the role played by uncertainty quantification (UQ) in achieving clinical trustworthiness. The survey identifies areas of research gaps, such as the scarcity of multimodal datasets, difficulties in generalising models across populations, and the absence of standardised evaluation benchmarks. Systematically resolving these gaps, this work highlights the practical significance of AI-based computer-aided diagnosis (CAD) systems toward accelerating faster, more robust, and scalable pandemic response tools. In addition, it gives researchers and clinicians a blueprint for developing AI-based healthcare, allowing for both short-term use in managing COVID-19 and long-term relevance in future public health emergencies.

Keywords: COVID-19, Systematic Review, Deep Learning, Medical Imaging, Artificial Intelligence, Classification, Segmentation.

1. Introduction

In recent years, the world has struggled with numerous harmful infectious pathogens constantly emerging and reemerging. New viral zoonotic disease outbreaks are increasing frequent. "These infections" refer to diseases caused by different viruses. SARS, influenza A (H5N1), and MERS-CoV are severe respiratory illnesses. These elements and others have detrimental consequences on public health [1]. Several reasons contributed to the COVID-19 epidemic. First, the novel SARS-CoV-2 is spreading globally (without any prior human

exposure or immunity). Second, SARS-CoV-2 is a highly mutagenic ribonucleic acid (RNA) virus that allows for rapid diversification at the expense of producing non-viable offspring. The COVID-19 epidemic revealed flaws in the medical systems of many nations, and the incapacity of these institutions to effectively address concerns. Lack of distinctiveness in clinical detection techniques is a significant factor in COVID-19's rapid dissemination [2]. Identifying the infected and immunizing the susceptible are crucial in controlling and eradicating COVID-19. Although it takes longer to analyze the specimen and obtain results, the reverse-transcription-polymerase-chain-reaction (RT-PCR) test is currently considered the most reliable method for detecting COVID-19. According to recent observations, many individuals may test positive for COVID-19 after recovering. Due to the successful application of deep learning in computer vision and biomedicine, researchers are looking at AI-based approaches for detecting COVID-19 using CXR and CT-scan images. While still in its infancy, research on COVID-19 has shown enormous promise and is progressing quickly [3].




Figure 1. Lung Disease Classification

We also provide recommendations for future studies on the potential applications of AI and ML to counteract epidemics other than COVID-19 [4]. Researchers are concentrating on the limitations of the RT-PCR test to enhance the medical evaluation and identification of COVID-19. Moreover, diagnostic procedures such as lung needle biopsy, chest magnetic resonance image (MRI), CT, and CXR are also suggested in Fig 2.[5].




Figure 2. Availability of Different Types of Lung Scans

Here, the study makes the following four significant contributions:

- Explored the various datasets for classification and segmentation
- Investigated the strategies that use deep learning for COVID-19 detection from clinical scans, along with their main advantages and disadvantages.
- Given an overview of the chosen articles.
- A taxonomy of lung classification is provided.
- This paper might be helpful for those who are working on DL-based lung disease identification in real-time and guides future researchers in the right direction.

In Fig. 2 above, the lung CT-scan health image information is at the top, beside an infected COVID-19 CT-scan image. Below are the two chest X-rays, which are healthy and infected scans. Existing reviews are insufficient because they are either modality-specific (mainly CT or X-ray) or limited to early COVID-19 detection tasks. They rarely provide a systematic taxonomy of both classification and segmentation, nor do they evaluate clinical barriers to deployment. This survey addresses these gaps by analyzing CT, MRI, and PET collectively, providing structured comparisons, and offering direct clinical guidance. The work is structured as follows: Section 2 discusses various datasets used by researchers for analysing lung diseases. Section 3 discusses related studies on lung disease classification and segmentation, and Section 4 presents a computer-aided diagnosis system utilising CNN for COVID-19. Finally, Section 5 presents results and discussion, and Section 6 concludes this study.

2. Related Work

Lung disease datasets include patient information, medical history, test results, and medical images, such as CT and MRI scans.

2.1 CT-Scan Dataset

Regarding the MRI lung segmentation and the diagnosis of COVID-19, publicly accessible datasets for SARS-CoV-2, offered by the Open Access Series of Imaging Studies for COVID-19 Disease, are presented in Table 1. The details of the datasets for SARS-CoV-2, COVID-CT, and COVID-CT-MD are provided. The survey begins with a quick overview of lung MRI before describing the unique characteristics of the datasets.

2.1.1 SARS-CoV-2 Dataset

Researchers created the COVID-19 CT dataset. The dataset comprises 2,482 CT scan images, divided into 1,252 images for SARS-CoV-2-infected patients and 1,230 for non-infected patients [6].

2.1.2 Covid-CT

The researchers gathered 349 CT scans that were identified as positive for COVID-19. The sizes of these CT images vary: 153, 491, and 1,853 are the smallest, average, and largest

heights, respectively. There are three different widths: 124, 383, and 1485. It includes 397 non-COVID-19 CT images and 349 COVID-19 CT images [7].

2.1.3 Covid-CT-MD

The COVID-CT-MD dataset is used to test and improve COVID-19 image segmentation. In addition to the MRI data, the collection contains the outcomes of a manually guided expert segmentation. The image's dimensions are 256 x 256 x 128 pixels [8].

2.2 Lung MRI Scan

Lung MRI utilises magnetic fields and radio waves to produce precise images of the internal structures of organs. MRI, unlike CT scans, does not utilise ionising radiation. This makes MRI a safer option for pregnant women and children, as well as for people who need to have repeated imaging tests.

Table 1. Overview of COVID-19 CT and PET Scan Datasets and COVID-19 Lung CT Datasets

S.No	Datasets	Class	No of Images
1	SARS-CoV-2 [6]	COVID-19	1252
		Non-Covid-19	1230
2	Covid-CT [7]	COVID-19	349
		Non-Covid-19	397
3	COVID-CT-MD [8]	COVID-19	60
		Non-Covid-19	76
4	Covid-19 MRI	COVID-19	350
		Pneumonia	400
		Normal	150
5	Radiological Society of North America (RSNA) [9]	COVID-19	284
		Healthy	500
6	National Institutes of Health (NIH) [10]	COVID-19	500
		Healthy	500
7	Chinese Medical Association (CMA) [11]	COVID-19	500
8	Lung PET Scan Dataset for Pneumonia Detection [12]	Pneumonia	-
9	Lung PET Scan Dataset for COPD Detection [13]	COPD	-
10	Lung PET Scan Dataset for Asthma Detection [14]	Asthma	-

2.3 PET Scans

Positron Emission Tomography (PET) is a medical imaging method that utilises radioactive tracers to visualise the function of specific organs. Table 1 illustrates that CT and PET scans are used to diagnose and manage various conditions, including lung diseases. However, across these datasets, challenges such as class imbalance (over-representation of COVID-19 cases), variability in acquisition protocols across institutions, and limited availability of real-world clinical data persist. Public datasets are often small, biased toward specific populations, and inconsistently annotated, reducing generalization potential.

3. Related Study

To ensure a rigorous and systematic review, we established clear criteria for selecting studies included in this survey. The inclusion criteria are as follows: studies published between 2016 and 2024 that focus on DL applications for lung pathology detection using CT, MRI, or PET imaging. We included peer-reviewed articles and preprints addressing COVID-19, pneumonia, chronic obstructive pulmonary disease (COPD), or other lung diseases. This review adhered to the PRISMA 2020 guidelines. We conducted systematic database searches in PubMed, IEEE Xplore, SpringerLink, and arXiv. After removing duplicates, 120 records were screened, and 75 studies were included based on predefined eligibility criteria. The PRISMA flow diagram in Fig. 3 summarizes the selection process.




Figure 3. PRISMA Selection Criteria for Research

Exclusion Criteria: Studies lacking empirical results, non-DL approaches, or those not involving CT, MRI, or PET imaging were excluded. **Databases Searched:** PubMed, IEEE Xplore, SpringerLink, and arXiv were searched using keywords such as “lung pathology,” “COVID-19 detection,” “CT imaging,” and “MRI segmentation.” **Selection Process:** From 350 retrieved articles, 120 were selected after abstract screening, and 75 were included after full-text review based on relevance and quality.

3.1 Impact of AI on Lung Disease Classification and Segmentation

To find COVID-19, researchers offered a thorough literature study on lung CT data's structural Segmentation and categorisation. Here, the section pertains to the previous

researcher's years of work under a system that automatically detects COVID-19 using DL methods. DL for healthcare images and feature extraction is an excellent method. New, reliable, automatic techniques for accurate detection are essential to minimise medical professionals' exposure to the pandemic. X-ray imaging can aid in Diagnosis, and MobileNet is a CNN trained to classify features [15]. According to researchers, improved beetle antenna metaheuristics for exploration, swarm intelligence, ML, and an adaptable NFI system are all integrated into the proposed prediction model. The flexible NFI system parameters are chosen to enhance the beetle antenna search, which improves prediction model accuracy [16].

According to researchers, the dataset distribution consists of 33.3% each for "SARS-CoV-2" and "Covid-CT," 20.4% for "Covid-CT MD," and 13% for "CovidX-CT." This allocation emphasises the "SARS-CoV-2" and "Covid-CT" datasets, providing a balanced approach to COVID-19 data analysis, with additional insights from "Covid-CT MD" and "CovidX-CT" in Fig. 4.




Figure 4. Dataset Used Across the Research

Using diverse datasets, the researcher aims to leverage knowledge from multiple associated tasks to enhance classification and segmentation performance and mitigate minor data issues [17]. The researcher presented a new method for analyzing lung CT scans, which identifies patients as COVID-19 positive or negative by utilizing models such as ResNet50 and VGG16 to determine CT lung scan results [18]. The illustration in Fig. 5 shows various diseases associated with the lungs and lung disease screening tests. Automated image analysis systems have been utilizing medical images, such as CXR, CT, and lung MRI, enhanced by AI and ML-based methodologies. Different ML and DL techniques are applied to COVID-19 medical images to detect, classify, segment, assess severity, and track patient progress. This work aims to review research on the detection and analysis of COVID-19 using ML, DL, and transfer learning models applied to medical image datasets for lung pathology detection [19].

Several DL techniques were evaluated, including hybrid CNN Restricted Boltzmann Machine (RBM), LSTM, hybrid Gated Recurrent Unit (GRU), and Long Short-Term Memory (LSTM- CNN). Standard ML techniques such as Logistic Regression (LR) and Support Vector Regression (SVR) were also examined. The long-term forecasting accuracy of COVID-19 future trends is anticipated to be improved using hybrid models (such as LSTM-CNN and GAN-GRU) [20]. The pre-trained VGG16 model extracts feature for the early detection of

pneumonia, enabling prompt and effective therapy. To assist medical practitioners, a DL-based methodology categorises normal CXR radiographs as either pneumonia or normal [21].




Figure 5. Taxonomy of Lung Classification Considered in this Research

Table 2. Performance of Various DL Models for COVID-19 Detection

Model	Task	Accuracy (%)	Sensitivity (%)	Specificity (%)	Limitations
DenseNet121 [18]	Classification	96	94	97	Prone to overfitting on small data
InceptionV3 [19]	Classification	95	93	96	Limited generalizability
ResNet50 [20]	Classification	98	96	97	High computational cost
MobileNetV2 [21]	Classification	87.6	85	88	Misses complex clinical features
U-Net [22]	Segmentation	88.0	85	90	Requires large annotated datasets

Frontline healthcare workers require faster and more accurate diagnostic options beyond nucleic acid-based laboratory tests. Researchers created an AI algorithm in this work by evaluating typical CT images with Inception V3 using transfer learning. Three primary operations comprise the architecture: input picture filters, mask size determination from ROI images, and training, which includes classification with two fully connected layers and a binary classifier [22]. The multitasking model with automatic segmentation and classification are proposed for identifying COVID-19 pneumonia using CT chest images. This method explained a shared encoder for feature representation, a singular processor for Segmentation, and an MLP for classification. It analysed three datasets and evaluated image size on model performance for multi-class and binary-class learning [23].

Researchers analysed and evaluated five DL models, ResNet50, ResNet101, DenseNet121, DenseNet169, and InceptionV3, to recognise COVID-19 from chest radiography images. This study demonstrates the potential of various DL algorithms in analysing CXR images related to COVID-19. The models were trained and verified on COVID-

19 CXR images from the largest publicly available source. AI-based DL methods have been extensively used. This approach aims to assess the efficiency of DL-based AI methods in detecting COVID-19 using chest radiography and CT scans. The study presents the limitations of current methods in detecting COVID-19 through DL techniques, such as finding datasets with extensive data and implementing them [24]. The study presents a robust framework for DL-based methods and chest CT scan images for automated COVID-19 testing. MobileNetV2, DarkNet19, and a new lightweight DLM can automatically detect COVID-19 in a dataset of 1,252 positive and 1,230 negative chest CT scans. DLM training, testing, and validation are conducted using a tenfold holdout validation approach [25]. The future medical applications of ML will become increasingly crucial. ML can speed up COVID-19 Diagnosis, but the technique needs improvement. The scarcity of COVID-19 data causes a lack of training data scans accessible to the general public, as well as a limited, publicly available, and varied dataset created by researchers who have studied COVID-19. To enhance the classification model's ability, it is also possible to create a model using multimodal data [26].

3.2 Computer-Aided Diagnosis System for the Usage of CNN for COVID-19 Diagnosis Classification

A Computer-Aided Diagnosis (CAD) system leverages CNN to assist in COVID-19 diagnosis by automatically analysing medical images, enabling faster and more accurate disease detection. One type of DL-based neural network that performs exceptionally well in image classification and recognition applications is the CNN [27]. It comprises several layers of data, each of which processes the input data in a particular way a CNN's convolutional layer gathers attributes from the input image. A convolutional layer is followed by a pooling layer, which reduces the dimension of the feature maps it produces. Several iterations of this procedure are carried out, with each layer picking up increasingly intricate details from the initial image. Establishing trust, researchers explore the use of AI-powered analysis of clinical reports for COVID-19 detection. They investigated various feature engineering techniques (TF-IDF, BOW, and report length) with classical and ensemble ML algorithms. TF-IDF identified crucial words and extracted unigrams and bigrams for feature representation. Among them, 40 relevant features were chosen and weighted for classification by ML algorithms. The approach demonstrates the potential of AI in analysing clinical reports for the detection of COVID-19 [28]. To ensure DL, utilising MobileNet v2 is demonstrated as an effective method for extracting complex features from medical images. It was trained on a dataset of 3905 X-ray images representing six diseases, and the approach successfully achieves excellent results for classification tasks [29]. Fig. 5 outlines the process of diagnosing COVID-19 by interpreting test results to determine whether a patient is positive or negative for the disease. The DL process is aimed at creating a system that can automatically classify a medical image as containing a healthy or COVID-19 infection. Enhancing time-series prediction algorithms is crucial for assessing and implementing possibilities during the COVID-19 outbreak. A hybrid model named CESBAS- ANFIS is introduced, which combines an Adaptive Neuro-Fuzzy Inference System (ANFIS), enhanced beetle antennae search swarm intelligence, and ML. The Beetle Antenna Search (BAS) algorithm and ANFIS are both computational techniques used in optimisation and prediction tasks [30]. To address the challenge of diagnosing COVID-19 from limited CT lung images, a novel framework utilising ResNet50 and VGG16 models for classification, coupled with U-Net for segmentation, was introduced. Preprocessing techniques, transfer learning, and data augmentation enhanced model robustness [31].




Figure 6. Conventional Block Diagram of COVID-19 Diagnosis

After evaluating a dataset of 1369 patients, including 449 with COVID-19, the model has shown promising results of 97% for classification [32]. In DL, multitask learning is a technique in which a single model can learn several interrelated tasks simultaneously, sharing knowledge and parameters to improve overall performance. A new DL model called CoroDet uses CT scans and CXRs automatically to detect COVID-19. CoroDet can classify images into 2, 3, or 4 categories, including COVID-19, standard, and many forms of pneumonia [33]. CoroDet, a 22-layer DL model, uses a wide range of metrics, including Accuracy, precision, and sensitivity, to evaluate its performance in three different classification tasks: two-class (COVID-19 vs. Healthy), three-class (by incorporating pneumonia that is not COVID-19), and four-class (further segregating pneumonia that is bacterial and viral). Table 3. describes the summary of previous researchers' work on COVID-19 diagnosis methods and different approaches with their pros and cons.

Table 3. Characteristics with the Datasets, Performance, and Limitations of the COVID-19 Detection Methods

Methods /Models	Disease	Datasets used and Accuracy	Limitations
Fine-tuning Mobile Net [29]	Covid-19, Normal & Pneumonia	SARS-CoV-2 (87.6%)	Clinical Conditions are missing (symptoms, medical history, or relevant diagnoses)
Bettle Antenna Search algorithm and adaptive neuro-fuzzy [30]	Pneumonia & Covid-19	RSNA Covid-19 dataset	The testing procedure reveals the limitations of the suggested technique. Therefore, modifying the metaheuristics' control parameters requires fresh simulation runs.
VGG16 Resnet50 U-net [31]	COVID-19 & Pneumonia	COVID-19 lung CT images from a public Source (98.98%)	Privacy concerns that the public cannot access the CT scan datasets utilised in such works.

Multi-task Learning (MTL)[32]	Covid-19 & Pneumonia	Customised CT-scan Dataset	To test our strategy on large data sets and determine its performance, we might investigate novel types of networks that account for additional important information.
CoroDet, a CNN model [33]	COVID-19, Normal Pneumonia, viral Pneumonia, bacteria	Chest X-ray image data	We must overcome hardware limitations to leverage larger image sets for training the suggested model and thereby improve its performance.

3.3 Segmentation of Lung CT using Deep Learning

The term DL has been recently used to describe neural networks, a form of artificial intelligence that has existed for over 40 years. NN focuses on complex problems that are challenging for individuals to address. The disease investigation technique was used, the dataset was considered, and accuracy was determined based on our analysis of current computerised COVID-19 disease detection techniques [35].




Figure 7. Generic Block Diagram of CAD COVID-19 Diagnosis

The illustration in Fig. 7 shows the typical steps involved in diagnosing COVID-19. CT slices must first be acquired. Preprocessing, which involves removing unnecessary information and rearranging the data for easier reading, is the next step in data preparation. DL segmentation extracts the essential characteristics from the pre-processed data from lung MRI scans.

Table 4. Fine-Tuning Based Methods for Lung Segmentation

Authors	Methodologies	Applications
Mohit et al. [36]	DenseNet121, DenseNet169 models	Covid-19 Classification

Shirin Kordnoori et al. [37]	Auto-encoder, multi-layer Perceptron & Decoder (MLP)	COVID-19 Segmentation and Classification
Emrah Irmak [38]	VGG-19 model	COVID-19 Disease Severity Classification
Saeed Mohagheghi and Mehdi Alizadeh et al. [39]	Inception V3, DenseNet & ResNet	COVID-19 Classification using VGG16 and ImageNet algorithms
Amyar and Romain et al. [40]	Auto-encoder & decoder model	Classification and Segmentation
sakib et al. [41]	DL-CRC	Classification
Wang & Siwen et al. [42]	Deep Fusion Architecture Ensemble Learning	Segmentation
Lin & Lixin et al [43]	Connect with U-net	Segmentation

In Table 4. Mohit et al. utilise a customised CNN to categorise cases of COVID-19. The contributors recommended a multitask approach for efficient detection and segmentation of viral influenza with CT chest imaging. Here, the model features a typical encoder, segmentation decoder, and an approach that involves using a multi-layer perceptron for classification, demonstrating a significant improvement in results [37]. The researchers utilised a 16-layer customised CNN to categorise individuals with COVID-19 into different severity levels. The CNN model is explicitly designed for classification and is trained and evaluated using a dataset of 3,260 CXR images from COVID-19 patients. Twenty percent is spent on validation, twenty percent on testing, and sixty percent on training. The image Resolution is $227 * 227 * 3$. This model is recognised for its efficiency and effectiveness in processing large datasets and complex models.

The CNN model facilitates rapid training and optimisation of the model's parameters, yielding excellent accuracy in classifying COVID-19 patients into distinct sensitivity levels [38]. In the proposed method, a CNN is employed for diagnosing infections by analysing CXR images of healthy, COVID-19, and pneumonia cases, and calculating the probability of coronavirus infection. The CBMIR algorithm is designed to label medical images. The CNN and CBMIR algorithms are essential for accurately diagnosing and distinguishing COVID-19 from other conditions, offering valuable support for medical professionals [39]. A proposed multitask DL algorithm will recognize COVID-19 individuals while segmenting lesions. It generates superior outcomes, with a dice coefficient of more than 0.88 for segmentation and an area under the ROC curve of more than 97% for identification [40]. The existing research used several advanced models to enhance segmentation tasks effectively. sakib et al. [41] employed a DL-CRC hybrid (ResNet-50 with GAN) to achieve improved accuracy, thereby combining convolutional and sequential processing. Wang & Siwen et al. [42] applied Deep Fusion Architecture with Ensemble Learning to optimise performance through model fusion. Lin & Lixin et al. [43] utilised ConvNet with U-Net for fine-detail segmentation, combining convolutional and encoder-decoder architectures. These approaches highlight various methods for achieving precise segmentation.

3.4 High-Resolution Computed Tomography of Pneumonia

In hindsight, they gathered 46,096 anonymised photos from 106 hospitalised patients at Wuhan University's Renmin Hospital, comprising 51 individuals whose COVID-19 pneumonia was verified by a laboratory and 55 healthy people with various ailments [44]. On a different dataset, it obtained a 96% accuracy rate. The approach drastically reduced radiologists' reading time by 65%. Professional radiologists were outperformed by the DL model in terms of performance, greatly enhancing the effectiveness of radiologists in clinical settings. Supervised learning performed superior to the methods, achieving 92.9% accuracy. Recurrent supervised learning will improve accuracy [45].

Table 5. Performance of COVID-19 CT Imaging Techniques for Classification with Similar Datasets

Author Name	Dataset Name	Classification or Segmentation	Techniques	Metrics (%)
Xu, Jingxiang et al [46]	SARS-CoV-2	Image Sequence Classification	Covid-IRLNet	Accuracy 88 Precision 88 F1-Score 86
Zhan & Guilin et al [47]	SARS-CoV-2	Segmentation	EAswin-unet	Dice Similarity Coefficient 74 Sensitivity 72 Specificity 93
Balaha & Hossam Magdy et al [48]	SARS-CoV-2	Classification	Optimised Yolo V8 with Mosaic Augmentation	Accuracy 96 Recall 94 Specificity 97
Moosavi & Abdoulreza et al [49]	SARS-CoV-2	Segmentation & Classification	U-Net DenseNet 121	Accuracy 88 AUC 96 Specificity 82
Tembhurne & Jitendra [50]	COVID-CT	Segmentation	Transfer Learning VGG16, Inception, Xception and Resnet50	Dice Similarity Coefficient 83 Accuracy 84
Liu & Weili et al [51]	COVID-CT	Classification	Effective Channel Expansion and Fusion (ECEf)	Accuracy 89 Precision 90 F1-Score 89
Punitha S & Thompson Stephan et al [52]	COVID-CT	Segmentation & Classification	Artificial Bee Colony (ABC) optimised ANN (ABCNN)	Accuracy 90 Precision 89 F1-Score 89
Yujia, Hak et al [53]	Covid-CT Covidx-CT	Classification	DenseNet 121	Accuracy 99 Precision 98 Specificity 98

Mouna, Riadh et al [54]	Covid-CT Covidx-CT	Segmentation	context fuse model (CFM), Attention mix module (AMM), and a Residual Convolutional Module (RCM).	Precision 93 F1-Score 94 Accuracy 96
-------------------------	-----------------------	--------------	--	--

Table 5 highlights advancements in COVID-19 CT imaging techniques for classification and segmentation. Researchers applied models such as Covid-IRLNet, which achieved 88% accuracy for SARS-CoV-2 classification, and the Efficient Attention (EA) mechanism with the U-Net (EASwin-unet), which obtained a 74% Dice Similarity score for segmentation. Optimised Yolo V8 with Mosaic Augmentation reached 96% accuracy, while the U-Net and DenseNet121 combination achieved a high AUC of 96%. Other approaches, such as the ECEF model with 89% accuracy and ABCNN with 90% accuracy on COVID-CT, further demonstrate progress in precision diagnostic methods. Techniques such as DenseNet121 and fusion models continue to make significant strides in COVID-19 CT diagnostics.

4. Challenges in Lung CT Segmentation

Lungs have diverse structures, varying with age, sex, and the presence of chronic obstructive pulmonary disorders.

- Lungs are challenging to examine due to their complex structure, which could result in more precise classifications of various structures. Experts on the human species frequently encounter this problem.
- Manually segmenting a lung CT requires much work and is prone to mistakes. Furthermore, a thorough knowledge of the lung's function is necessary.

Collecting enough ground truth data to build a segmentation model is challenging.

- The noisy background makes it challenging to label each pixel while precisely segmenting a typical image.

4.1 Challenges in the Diagnosis of COVID-19 Disease

The most challenging aspect of COVID-19 infection is the time needed to monitor and assess the patient's status. Due to the disease's dynamic nature, CT scans are not effective in diagnosing COVID-19.

- Multimodal data collection for the assessment of COVID-19 disease.

A prediction model constructed solely from multimodal data will be unreliable due to heterogeneity, as data from genetics and neuroimaging techniques such as CT, MRI, or PET, have different data distributions and levels of discriminative ability compared to single-

nucleotide polymorphisms (SNPs) for COVID-19 diagnosis [55,56]. For instance, it has been found that the utility of raw SNP data in the context of COVID-19 illness is limited.

- High dimensionality problem

While a neuroimaging scan frequently contains millions of voxels, a subject's genetic data may have hundreds of SNPs linked to COVID-19. Table 5 summarises eight studies on lung disease diagnosis using various strategies, image types, critical methods, and datasets.

Table 6. Key Findings of DL-Based Lung Classification Techniques for CAD

Author	Organ/ Disease	Modality used	Key- Method	Dataset	Limitation
Apostolopoulos et al. [57] 2020	Lung	CT images	Transfer learning with MobileNet V2	RSNA (1428)	Limited generalisation due to dataset imbalance and low diversity
K. Shankar et al. [58] 2020	Covid-19	CT images	A fusion model has been created using the DL features-based Inception v3 algorithm.	Chest CT Dataset	Model complexity increases computation time.
Shin, Hoo-Chang, et al. [59] 2016	Lung	CT images	Transfer learning with CifarNet and AlexNet from pre-trained ImageNet	COVID-CT	Early work, outdated architectures, and limited accuracy
Xiaohong, Carl et al. [60] 2019	Lung (TB)	CT images	A Depth Res-Net and ResNet-50 model	ImageCLEF2018(340)	A small dataset limits scalability and generalisation

Pietro Nardelli, Daniel et al.[61] 2018	Lung	CT images	A proposed scale-space particle algorithm based on Patch dimensionality	COPD Gene Data	Patch-based analysis may miss the global context
S. Wang, Bo Kang et al. [62] 2021	Lung	CT images	Inception V3 Model	SARS-COV-2 (1065)	Prone to overfitting with a small data size
Ouchicha, Ouafae Ammor et al. [63] 2020	Lung	CT images	CVDNet	RSNA (2905)	No external validation to test generalizability
Javaheri et al. [64]	Lung	CT scans	The DL model called Covid-CTNet	A dataset with 335 cases was used. Out of 335 patients, 110 had COVID-19, while the remaining 115 were infected with the Community-Acquired Pneumonia dataset. Out of 335 patients, 110 had COVID-19, and the remaining 115 had CAP.	Small sample size and class imbalance
Saad et al. [65]	Lung	CT Images	Deep Feature Concatenation DFC mechanism, DCNN	The dataset includes 2628 COVID-19 positive images and 1620 non-COVID images.	Risk of feature redundancy and overfitting
Singh et al. [66]	Lung	CT Images	Ensemble DL models DCCNS,	4-class CT-scanned images are collected from different sources, like	Combining models increases inference time

			ResNet152 V2, VGG16	COVID-19, Pneumonia [67-69]	
N. A. Baghdadi et al [70]	Lung	CT images	MobileNet V3 Large	COVID-19, Pneumonia, Normal	A lightweight model may sacrifice fine-grained accuracy
R. Kundu et al [71]	Lung	CT images	Deep CNN ensemble	Covid-19, Pneumonia	Requires high computational resources
Nneji et al. [72]	Lung	Covid-CT	Siamese Capsule Network	Covid-19, Pneumonia	Capsule networks are harder to train and interpret
Khan, Asif et al [73] 2020	Lung	CXR images	CoroNet	RSNA-27	CXR modality offers lower resolution than CT for COVID-19

Here, researchers investigated using DL with X-ray imaging to detect COVID-19 disease automatically. They used two CXR image datasets to study COVID-19, bacterial pneumonia, viral pneumonia, and other specific cases. They utilised the DL models VGG-19 and MobileNet V2 to analyse the datasets. Researchers found that X-ray imaging in DL may extract significant biomarkers for COVID-19 diagnosis. Further research is needed to evaluate its effectiveness from various perspectives [57]. Eventually, with limited rapid tests during surges of COVID-19, researchers introduced a novel Fusion Model Handcrafted DL Features (FM-HCF-DLF) for accurate diagnosis and classification. Combining Local Binary Patterns (LBP) with DL (Inception v3), FM-HCF-DLF utilises optimisation techniques for improved performance. This model holds promise for precise COVID-19 detection [58]. The research addresses challenges in obtaining well-annotated medical imaging datasets, such as ImageNet. The study tests various CNNs, dataset sizes, and image contexts for detecting lymph nodes and lung disease in CAD [59].

Researchers presented a 3D block-based depth-ResNet to handle short datasets and restricted anomalies in CT and TB images, with promising results in severity prediction and tuberculosis categorisation [60]. A three-step deep learning pipeline (vessel isolation, 3D CNN, and graph-cut optimisation) achieved 94% accuracy on 18 clinical instances [61]. A modified Inception transfer-learning model achieved an external accuracy of 79.3%, detecting 85.2% of COVID-19 cases that were missed by nucleic acid tests [62]. These findings demonstrate the potential of AI for early COVID-19 diagnosis. CVDNet, trained on 219 COVID-19, 1341 normal, and 1345 viral pneumonia pictures, demonstrated potential as an automated diagnosis tool [63]. CoroNet obtained 89.6% accuracy, 93% precision, and 98.2% recall in detecting COVID-19 in three classes. CoroNet performed admirably in COVID-19 detection (3-class), achieving an overall accuracy of 89.6%, precision of 93%, recall of 98.2%, and 95% accuracy in 3-class classification. These promising results suggest CoroNet has

potential for COVID-19 diagnosis, with further improvement expected as more data becomes available [64]. These contributions have revolutionised medical image segmentation, ushering in a new era of possibilities. While U-Net remains dominant for segmentation with strong performance on smaller datasets, it requires extensive annotations. Deep Fusion and ensemble approaches enhance accuracy but are computationally demanding. GAN-based hybrids generate realistic augmentations but often suffer from instability during training. The trade-off between efficiency and accuracy highlights the need for lightweight yet reliable segmentation models.

4.2 Multimodal Dataset Availability

Despite progress in CT-based datasets, there is a striking scarcity of multimodal repositories. CT dominates with datasets like SARS-CoV-2, COVID-CT, and RSNA, whereas MRI and PET datasets remain limited both in volume and annotations. This imbalance hinders fusion-based deep learning models, which require aligned CT, MRI, and PET scans to leverage complementary structural and functional insights.

Consequently, the availability of multimodal datasets represents a key gap restricting robust generalization. Surveyed studies have addressed this imbalance through weighted loss functions (e.g., class-balanced cross-entropy), oversampling of minority classes, and GAN-based synthetic augmentation. For example, Covid-CT studies often balanced datasets by generating synthetic pneumonia and normal cases.

5. Results and Discussion

The suggested DCNN design classifies CT images into two phases: COVID-19 and Normal. The model employs 16 weighted layers for image examination and classification. These layers include an input layer, three convolutional layers for feature extraction, three ReLU layers for non-linear activation, a normalization layer for data standardization, three max-pooling layers for dimensionality reduction, two fully connected layers for information integration, a dropout layer to prevent overfitting, a Softmax layer to generate probability distributions, and finally a classification layer to determine the final severity level. Two output layer neurons map to two possible severity levels. Of the imaging modalities, MRI still proves to be the most troublesome for training deep neural networks. The reasons include lower resolution for lung imaging, motion artifacts at scan time, smaller annotated datasets, and machine variability. PET imaging, while clinically useful for functional imaging, also presents challenges with extremely small dataset sizes and patient privacy issues.

The accuracy, recall, and precision of the DCNN CT-Scan model in classifying COVID-19 and normal classes have decreased by 85% and 93%, respectively, in comparison to the current VGG19 X-ray images (Fig. 8).




Figure 8. Graphs Plotted for Loss, Accuracy, Precision, and Recall

Table 7. Computational Requirements vs. Performance of Models

Model	Accuracy (%)	GPU/Compute Requirement	Limitation
MobileNetV2	87.6	Low (can run on CPU/GPU)	Misses complex features
ResNet50	98	High-end GPU	High compute cost
DenseNet121	96	High (multi-GPU recommended)	Overfitting on small data
U-Net	88	Moderate (GPU required)	Requires large annotations

Table 7 compares the accuracy and processing demands of standard models. ResNet50 and DenseNet121 are deeper models that achieve higher accuracy at the expense of higher computational cost and a higher risk of overfitting, whereas lightweight networks like MobileNetV2 are efficient but compromise feature extraction.

5.1 Performance Evaluation

The results demonstrate that VGG19 performs significantly better on X-ray images than on CT scans for lung disease detection. This can be visualised in the following chart. Table 7 clearly shows that VGG19 achieves an accuracy of 90% on X-ray images, while the DCNN value drops to 85% for CT scans.

Table 8. Comparison of the Model with Accuracy, Precision, Recall and F1-Score

S.No	Models	Precision (%)	Recall (%)	F1-Score (%)	Accuracy (%)
1	VGG19 [38]	96	93	94	90
2	Reviewed DCNN CT-Scan	83	78	80	85

6. Conclusion

The ongoing COVID-19 pandemic has put millions of people's health at risk. During this survey, we aim to assess all the possible AI-supportive technologies that are designed to fight the pandemic through medical imaging. We suggest declaring the dominant and available literature on approaches so that new researchers are sufficiently knowledgeable regarding the prevailing knowledge and can help establish a cost-effective and quick model for tackling challenges related to the unique diagnosis of COVID-19. The majority of researchers carried out binary discrimination of X-ray images, i.e., CXR. For the task of feature extraction, the most notable technique is CNN, whereas bio-inspired techniques are the most commonly used algorithms for feature selection. Classification tasks are routinely carried out using DL techniques, which are widely utilized for performing these tasks. Finally, we point out some of the gaps in classification regarding the images of chronic diseases, which could be the target of future research. Some possible directions for future research include augmenting image datasets that involve the COVID-19 pandemic, reducing the computational cost of deep learning solutions, and enhancing parameter optimization methods. Among the hurdles that impede their clinical translation are the incorporation of deep learning systems into PACS and electronic health records, black-box interpretability issues, the cost of computational infrastructure, and the duration of regulatory approval. Hospital implementation is also limited by clinicians' lack of trust and concerns over dataset privacy.

References

- [1] Ibrahim, Nahla Khamis. "Epidemiologic surveillance for controlling Covid-19 pandemic: types, challenges and implications." *Journal of infection and public health* 13, no. 11 (2020): 1630-1638.
- [2] Albahri, O. S., A. A. Zaidan, A. S. Albahri, B. B. Zaidan, Karrar Hameed Abdulkareem, Z. T. Al-Qaysi, A. H. Alamoodi et al. "Systematic review of artificial intelligence techniques in the detection and classification of COVID-19 medical images in terms of evaluation and benchmarking: Taxonomy analysis, challenges, future solutions and methodological aspects." *Journal of infection and public health* 13, no. 10 (2020): 1381-1396.
- [3] Aggarwal, Priya, Narendra Kumar Mishra, Binish Fatimah, Pushpendra Singh, Anubha Gupta, and Shiv Dutt Joshi. "COVID-19 image classification using deep learning: Advances, challenges and opportunities." *Computers in Biology and Medicine* 144 (2022): 105350.

- [4] Islam, Muhammad Nazrul, Toki Tahmid Inan, Suzzana Rafi, Syeda Sabrina Akter, Iqbal H. Sarker, and AKM Najmul Islam. "A systematic review on the use of AI and ML for fighting the COVID-19 pandemic." *IEEE Transactions on Artificial Intelligence* 1, no. 3 (2021): 258-270.
- [5] Chen, Joy Iong-Zong. "Design of accurate classification of COVID-19 disease in X-ray images using deep learning approach." *Journal of ISMAC* 3, no. 02 (2021): 132-148.
- [6] Soares, Eduardo, Plamen Angelov, Sarah Biaso, Michele Higa Froes, and Daniel Kanda Abe. "SARS-CoV-2 CT-scan dataset: A large dataset of real patients CT scans for SARS-CoV-2 identification." *MedRxiv* (2020): 2020-04.
- [7] Zhu, Ziwei, Zhang Xingming, Guihua Tao, Tingting Dan, Jiao Li, Xijie Chen, Yang Li et al. "Classification of COVID-19 by compressed chest CT image through deep learning on a large patients cohort." *Interdisciplinary Sciences: Computational Life Sciences* 13, no. 1 (2021): 73-82.
- [8] Zhang, Li, Eric A. Hoffman, and Joseph M. Reinhardt. "Atlas-driven lung lobe segmentation in volumetric X-ray CT images." *IEEE transactions on medical imaging* 25, no. 1 (2006): 1-16.
- [9] Khan, Wasif, Nazar Zaki, and Luqman Ali. "Intelligent pneumonia identification from chest x-rays: A systematic literature review." *IEEE Access* 9 (2021): 51747-51771.
- [10] Rahmani, Amir Masoud, Elham Azhir, Morteza Naserbakht, Mokhtar Mohammadi, Adil Hussein Mohammed Aldalwie, Mohammed Kamal Majeed, Sarkhel H. Taher Karim, and Mehdi Hosseinzadeh. "Automatic COVID-19 detection mechanisms and approaches from medical images: a systematic review." *Multimedia tools and applications* 81, no. 20 (2022): 28779-28798.
- [11] Yao, Dengfeng, Wanle Chi, and Mohammad Khishe. "Parkinson's disease and cleft lip and palate of pathological speech diagnosis using deep convolutional neural networks evolved by IPWOA." *Applied Acoustics* 199 (2022): 109003.
- [12] Wong, Pak Kin, Tao Yan, Huaqiao Wang, In Neng Chan, Jiangtao Wang, Yang Li, Hao Ren, and Chi Hong Wong. "Automatic detection of multiple types of pneumonia: Open dataset and a multi-scale attention network." *Biomedical Signal Processing and Control* 73 (2022): 103415.
- [13] de-Torres, Juan P., David O. Wilson, Pablo Sanchez-Salcedo, Joel L. Weissfeld, Juan Berto, Arantzazu Campo, Ana B. Alcaide, Marta García-Granero, Bartolome R. Celli, and Javier J. Zulueta. "Lung cancer in patients with chronic obstructive pulmonary disease. Development and validation of the COPD Lung Cancer Screening Score." *American journal of respiratory and critical care medicine* 191, no. 3 (2015): 285-291.
- [14] Gatidis, Sergios, Tobias Hepp, Marcel Früh, Christian La Fougère, Konstantin Nikolaou, Christina Pfannenberger, Bernhard Schölkopf, Thomas Küstner, Clemens Cyran, and Daniel Rubin. "A whole-body FDG-PET/CT dataset with manually annotated tumor lesions." *Scientific Data* 9, no. 1 (2022): 601

- [15] Ghashghaei, Sara, David A. Wood, Erfan Sadatshojaei, and Mansooreh Jalilpoor. "Grayscale image statistical attributes effectively distinguish the severity of lung abnormalities in ct scan slices of covid-19 patients." *SN Computer Science* 4, no. 2 (2023): 201.
- [16] Nur, A., Md Saikat Islam Khan, and Mostofa Kamal Nasir. "Using fused Contourlet transform and neural features to spot COVID19 infections in CT scan images." *Intelligent Systems with Applications* 17 (2023): 200182.
- [17] Sailunaz, Kashfia, Tansel Özyer, Jon Rokne, and Reda Alhajj. "A survey of machine learning-based methods for COVID-19 medical image analysis." *Medical & Biological Engineering & Computing* 61, no. 6 (2023): 1257-1297.
- [18] Dairi, Abdelkader, Fouzi Harrou, Abdelhafid Zeroual, Mohamad Mazen Hittawe, and Ying Sun. "Comparative study of machine learning methods for COVID-19 transmission forecasting." *Journal of biomedical informatics* 118 (2021): 103791.
- [19] Tartaglione, Enzo, Carlo Alberto Barbano, Claudio Berzovini, Marco Calandri, and Marco Grangetto. "Unveiling covid-19 from chest x-ray with deep learning: a hurdles race with small data." *International Journal of Environmental Research and Public Health* 17, no. 18 (2020): 6933.
- [20] Constantinou, Marios, Themis Exarchos, Aristidis G. Vrahatis, and Panagiotis Vlamos. "COVID-19 classification on chest X-ray images using deep learning methods." *International Journal of Environmental Research and Public Health* 20, no. 3 (2023): 2035.
- [21] Aslani, S., and J. Jacob. "Utilisation of deep learning for COVID-19 diagnosis." *Clinical Radiology* 78, no. 2 (2023): 150-157.
- [22] Gupta, Kapil, and Varun Bajaj. "Deep learning models-based CT-scan image classification for automated screening of COVID-19." *Biomedical Signal Processing and Control* 80 (2023): 104268.
- [23] Cenggoro, Tjeng Wawan, and Bens Pardamean. "A systematic literature review of machine learning application in COVID-19 medical image classification." *Procedia computer science* 216 (2023): 749-756.
- [24] Bhosale, Yogesh H., and K. Sridhar Patnaik. "Application of deep learning techniques in diagnosis of covid-19 (coronavirus): a systematic review." *Neural processing letters* 55, no. 3 (2023): 3551-3603.
- [25] Abraham, Tara H. "(Physio) logical circuits: The intellectual origins of the McCulloch–Pitts neural networks." *Journal of the History of the Behavioral Sciences* 38, no. 1 (2002): 3-25.
- [26] Chen, Jun, Lianlian Wu, Jun Zhang, Liang Zhang, Dexin Gong, Yilin Zhao, Qiuxiang Chen et al. "Deep learning-based model for detecting 2019 novel coronavirus pneumonia on high-resolution computed tomography." *Scientific reports* 10, no. 1 (2020): 19196.

- [27] Kwekha-Rashid, Ameer Sardar, Heamn N. Abduljabbar, and Bilal Alhayani. "Coronavirus disease (COVID-19) cases analysis using machine-learning applications." *Applied nanoscience* 13, no. 3 (2023): 2013-2025.
- [28] Blbas, Hazhar TA, and Shahren M. Faraj. "A statistical study of the influence of COVID-19 on the agricultural supply chain (vegetative) production in Halabja governorate." *Cihan University-Erbil Scientific Journal* 6, no. 1 (2022): 1-6.
- [29] Khanday, Akib Mohi Ud Din, Syed Tanzeel Rabani, Qamar Rayees Khan, Nusrat Rouf, and Masarat Mohi Ud Din. "Machine learning based approaches for detecting COVID-19 using clinical text data." *International Journal of Information Technology* 12, no. 3 (2020): 731-739.
- [30] Pham, Tuan D. "Classification of COVID-19 chest X-rays with deep learning: new models or fine tuning?." *Health Information Science and Systems* 9, no. 1 (2020): 2.
- [31] Zivkovic, Miodrag, Nebojsa Bacanin, K. Venkatachalam, Anand Nayyar, Aleksandar Djordjevic, Ivana Strumberger, and Fadi Al-Turjman. "COVID-19 cases prediction by using hybrid machine learning and beetle antennae search approach." *Sustainable cities and society* 66 (2021): 102669.
- [32] Amyar, Amine, Romain Modzelewski, Hua Li, and Su Ruan. "Multi-task deep learning based CT imaging analysis for COVID-19 pneumonia: Classification and segmentation." *Computers in biology and medicine* 126 (2020): 104037.
- [33] Salama, Wessam M., and Moustafa H. Aly. "Framework for COVID-19 segmentation and classification based on deep learning of computed tomography lung images." *Journal of Electronic Science and Technology* 20, no. 3 (2022): 100161.
- [34] Hussain, Emtiaz, Mahmudul Hasan, Md Anisur Rahman, Ickjai Lee, Tasmi Tamanna, and Mohammad Zavid Parvez. "CoroDet: A deep learning based classification for COVID-19 detection using chest X-ray images." *Chaos, Solitons & Fractals* 142 (2021): 110495.
- [35] Silva, Pedro, Eduardo Luz, Guilherme Silva, Gladston Moreira, Rodrigo Silva, Diego Lucio, and David Menotti. "COVID-19 detection in CT images with deep learning: A voting-based scheme and cross-datasets analysis." *Informatics in medicine unlocked* 20 (2020): 100427.
- [36] Vidal, Plácido L., Joaquim de Moura, Jorge Novo, and Marcos Ortega. "Multi-stage transfer learning for lung segmentation using portable X-ray devices for patients with COVID-19." *Expert Systems with Applications* 173 (2021): 114677.
- [37] Agarwal, Mohit, Luca Saba, Suneet K. Gupta, Alessandro Carriero, Zeno Falaschi, Alessio Paschè, Pietro Danna, Ayman El-Baz, Subbaram Naidu, and Jasjit S. Suri. "A novel block imaging technique using nine artificial intelligence models for COVID-19 disease classification, characterization and severity measurement in lung computed tomography scans on an Italian cohort." *Journal of Medical Systems* 45, no. 3 (2021): 28.

- [38] Kordnoori, Shirin, Malihe Sabeti, Hamidreza Mostafaei, and Saeed Seyed Agha Banihashemi. "Analysis of lung scan imaging using deep multi-task learning structure for Covid-19 disease." *IET Image Processing* 17, no. 5 (2023): 1534-1545.
- [39] Irmak, Emrah. "COVID-19 disease severity assessment using CNN model." *IET image processing* 15, no. 8 (2021): 1814-1824.
- [40] Mohagheghi, Saeed, Mehdi Alizadeh, Seyed Mahdi Safavi, Amir Hossein Foruzan, and Yen-Wei Chen. "Integration of CNN, CBMIR, and visualization techniques for diagnosis and quantification of covid-19 disease." *IEEE Journal of Biomedical and Health Informatics* 25, no. 6 (2021): 1873-1880.
- [41] Sakib, Sadman, Tahrat Tazrin, Mostafa M. Fouda, Zubair Md Fadlullah, and Mohsen Guizani. "DL-CRC: deep learning-based chest radiograph classification for COVID-19 detection: a novel approach." *Ieee Access* 8 (2020): 171575-171589.
- [42] Wang, Siwen, Di Dong, Liang Li, Hailin Li, Yan Bai, Yahua Hu, Yuanyi Huang et al. "A deep learning radiomics model to identify poor outcome in COVID-19 patients with underlying health conditions: a multicenter study." *IEEE Journal of Biomedical and Health Informatics* 25, no. 7 (2021): 2353-2362.
- [43] Lin, Li, Qin Lixin, and Xu Zeguo. "Artificial intelligence distinguishes COVID-19 from community acquired pneumonia on chest CT." *Radiology* 296, no. 2 (2020).
- [44] Ibrahim, Abdullahi Umar, Mehmet Ozsoz, Sertan Serte, Fadi Al-Turjman, and Polycarp Shizawaliyi Yakoi. "Pneumonia classification using deep learning from chest X-ray images during COVID-19." *Cognitive computation* 16, no. 4 (2024): 1589-1601.
- [45] Padma, T., and Ch Usha Kumari. "Deep learning based chest x-ray image as a diagnostic tool for covid-19." In *2020 international conference on smart electronics and communication (ICOSEC)*, pp. 589-592. IEEE, 2020.
- [46] Xu, Jingxiang, Jianqiang Li, Juan Li, Linna Zhao, and Shujie Ding. "Covid-IRLNet: A COVID-19 Diagnostic Model For Extracting CT Image Features and CT Sequence Features." In *2024 IEEE 48th Annual Computers, Software, and Applications Conference (COMPSAC)*, IEEE, (2024): 2159-2164.
- [47] Zhan, Guilin, Kai Qian, Wenyang Chen, Dandan Xue, Mengdi Li, Jun Zhang, and Yonghang Tai. "EASwin-unet: segmenting CT images of COVID-19 with edge-fusion attention." *Biomedical Signal Processing and Control* 89 (2024):
- [48] Balaha, Hossam Magdy, Mayada Elgendy, Ahmed Alksas, Mohamed Shehata, Norah Saleh Alghamdi, Fatma Taher, Mohammed Ghazal et al. "A Neuroimaging Yolov8-Based Cad Framework for Anosmia Grading in Covid-19." In *2024 IEEE International Conference on Image Processing (ICIP)*, IEEE, (2024): 2951-2956.
- [49] Moosavi, Abdoulreza S., Ashraf Mahboobi, Farzin Arabzadeh, Nazanin Ramezani, Helia S. Moosavi, and Golbarg Mehrpoor. "Segmentation and classification of lungs CT-scan for detecting COVID-19 abnormalities by deep learning technique: U-Net model." *Journal of Family Medicine and Primary Care* 13, no. 2 (2024): 691-698.

- [50] Tembhurne, Jitendra. "Classification of COVID-19 patients from HRCT score prediction in CT images using transfer learning approach." *Journal of Electrical Systems and Information Technology* 11, no. 1 (2024): 4.
- [51] Liu, Weili, Bo Wang, Yucheng Song, and Zhifang Liao. "Radiological image analysis using effective channel extension and fusion network based on COVID CT images." *Journal of Radiation Research and Applied Sciences* 17, no. 3 (2024): 100965.
- [52] Punitha, S., Thompson Stephan, Ramani Kannan, Mufti Mahmud, M. Shamim Kaiser, and Samir Brahim Belhaouari. "Detecting COVID-19 from lung computed tomography images: A swarm optimized artificial neural network approach." *IEEE Access* 11 (2023): 12378-12393.
- [53] Xu, Yujia, Hak-Keung Lam, Guangyu Jia, Jian Jiang, Junkai Liao, and Xinqi Bao. "Improving COVID-19 CT classification of CNNs by learning parameter-efficient representation." *Computers in Biology and Medicine* 152 (2023): 106417.
- [54] Afif, Mouna, Riadh Ayachi, Yahia Said, and Mohamed Atri. "Deep learning-based technique for lesions segmentation in CT scan images for COVID-19 prediction." *Multimedia Tools and Applications* 82, no. 17 (2023): 26885-26899.
- [55] Wu, Xing, Cheng Chen, Mingyu Zhong, Jianjia Wang, and Jun Shi. "COVID-AL: The diagnosis of COVID-19 with deep active learning." *Medical Image Analysis* 68 (2021): 101913.
- [56] Deng, Yan, Lei Lei, Yue Chen, and Wei Zhang. "The potential added value of FDG PET/CT for COVID-19 pneumonia." *European journal of nuclear medicine and molecular imaging* 47, no. 7 (2020): 1634-1635.
- [57] Apostolopoulos, Ioannis D., and Tzani A. Mpesiana. "Covid-19: automatic detection from x-ray images utilizing transfer learning with convolutional neural networks." *Physical and engineering sciences in medicine* 43, no. 2 (2020): 635-640.
- [58] Shankar, K., and Eswaran Perumal. "A novel hand-crafted with deep learning features based fusion model for COVID-19 diagnosis and classification using chest X-ray images." *Complex & Intelligent Systems* 7, no. 3 (2021): 1277-1293.
- [59] Shin, Hoo-Chang, Holger R. Roth, Mingchen Gao, Le Lu, Ziyue Xu, Isabella Nogues, Jianhua Yao, Daniel Mollura, and Ronald M. Summers. "Deep convolutional neural networks for computer-aided detection: CNN architectures, dataset characteristics and transfer learning." *IEEE transactions on medical imaging* 35, no. 5 (2016): 1285-1298.
- [60] Gao, Xiaohong W., Carl James-Reynolds, and Edward Currie. "Analysis of tuberculosis severity levels from CT pulmonary images based on enhanced residual deep learning architecture." *Neurocomputing* 392 (2020): 233-244.
- [61] Nardelli, Pietro, Daniel Jimenez-Carretero, David Bermejo-Pelaez, George R. Washko, Farbod N. Rahaghi, Maria J. Ledesma-Carbayo, and Raúl San José Estépar. "Pulmonary artery–vein classification in CT images using deep learning." *IEEE transactions on medical imaging* 37, no. 11 (2018): 2428-2440.

- [62] Wang, Shuai, Bo Kang, Jinlu Ma, Xianjun Zeng, Mingming Xiao, Jia Guo, Mengjiao Cai et al. "A deep learning algorithm using CT images to screen for Corona Virus Disease (COVID-19)." *European radiology* 31, no. 8 (2021): 6096-6104.
- [63] Ouchicha, Chaimae, Ouafae Ammor, and Mohammed Meknassi. "CVDNet: A novel deep learning architecture for detection of coronavirus (Covid-19) from chest x-ray images." *Chaos, Solitons & Fractals* 140 (2020): 110245.
- [64] Javaheri, Tahereh, Morteza Homayounfar, Zohreh Amoozgar, Reza Reiazi, Fatemeh Homayounieh, Engy Abbas, Azadeh Laali et al. "CovidCTNet: an open-source deep learning approach to diagnose covid-19 using small cohort of CT images." *NPJ digital medicine* 4, no. 1 (2021): 29.
- [65] Saad, Waleed, Wafaa A. Shalaby, Mona Shokair, Fathi Abd El-Samie, Moawad Dessouky, and Essam Abdellatef. "COVID-19 classification using deep feature concatenation technique." *Journal of Ambient Intelligence and Humanized Computing* 13, no. 4 (2022): 2025-2043.
- [66] Singh, Dilbag, Vijay Kumar, and Manjit Kaur. "Densely connected convolutional networks-based COVID-19 screening model." *Applied Intelligence* 51, no. 5 (2021): 3044-3051.
- [67] Pathak, Yadunath, Piyush Kumar Shukla, and K. V. Arya. "Deep bidirectional classification model for COVID-19 disease infected patients." *IEEE/ACM Transactions on Computational Biology and Bioinformatics* 18, no. 4 (2020): 1234-1241.
- [68] Singh, Dilbag, Vijay Kumar, Vaishali, and Manjit Kaur. "Classification of COVID-19 patients from chest CT images using multi-objective differential evolution-based convolutional neural networks." *European Journal of Clinical Microbiology & Infectious Diseases* 39, no. 7 (2020): 1379-1389.
- [69] Li, Lanjuan, Haiyang Huang, and Xinyu Jin. "AE-CNN classification of pulmonary tuberculosis based on CT images." In *2018 9th international conference on information technology in medicine and education (ITME)*, IEEE, (2018): 39-42.
- [70] Baghdadi, Nadiyah A., Amer Malki, Sally F. Abdelaliem, Hossam Magdy Balaha, Mahmoud Badawy, and Mostafa Elhosseini. "An automated diagnosis and classification of COVID-19 from chest CT images using a transfer learning-based convolutional neural network." *Computers in biology and medicine* 144 (2022): 105383.
- [71] Kundu, Rohit, Pawan Kumar Singh, Seyedali Mirjalili, and Ram Sarkar. "COVID-19 detection from lung CT-Scans using a fuzzy integral-based CNN ensemble." *Computers in Biology and Medicine* 138 (2021): 104895.
- [72] Nneji, Grace Ugochi, Jianhua Deng, Happy Nkanta Monday, Md Altab Hossin, Sandra Obiora, Saifun Nahar, and Jingye Cai. "Covid-19 identification from low-quality computed tomography using a modified enhanced super-resolution generative adversarial network plus and siamese capsule network." In *Healthcare*, vol. 10, no. 2, p. 403. MDPI, 2022.

- [73] Khan, Asif Iqbal, Junaid Latief Shah, and Mohammad Mudasir Bhat. "CoroNet: A deep neural network for detection and diagnosis of COVID-19 from chest x-ray images." *Computer methods and programs in biomedicine* 196 (2020): 105581. <https://doi.org/10.1016/j.cmpb.2020.105581>
- [74] Yu, Zekuan, Xiaohu Li, Haitao Sun, Jian Wang, Tongtong Zhao, Hongyi Chen, Yichuan Ma, Shujin Zhu, and Zongyu Xie. "Rapid identification of COVID-19 severity in CT scans through classification of deep features." *Biomedical engineering online* 19, no. 1 (2020): 63.
- [75] Vadduri, Maneesha, and P. Kuppusamy. "Enhancing ocular healthcare: deep learning-based multi-class diabetic eye disease segmentation and classification." *IEEE Access* 11 (2023): 137881-137898.
- [76] Kuppusamy, P., P. Harshitha, and M. Dhanyasri. "Customized CNN with Adam and Nadam optimizers for emotion recognition using facial expressions." In *2023 International Conference on Wireless Communications Signal Processing and Networking (WiSPNET)*, IEEE, (2023): 1-5.