

Automated Brain Tumor Detection and Classification

Sathis Kumar.T¹, Amirtha.V², Srimathi.E³, Yuvasri.B⁴

¹Associate Professor, Department of Computer Science and Engineering, School of Engineering and Technology, Dhanalakshmi Srinivasan University, Trichy, India.

²⁻⁴UG students, Department of Information Technology, School of Engineering and Technology, Dhanalakshmi Srinivasan University, Trichy, India.

E-mail: ¹sathiskumart.set@dsuniversity.ac.in, ²amirthav234@gmail.com, ³mathisri237@gmail.com, ⁴yuvasriyuva2828@gmail.com

Abstract

Accurate and timely diagnosis of brain tumors is vital for improving patient outcomes and guiding treatment. Traditional diagnostic methods can be subjective and inconsistent, making automated systems that use deep learning and machine learning technologies essential. This research develops a Python-based system using Matplotlib, Pandas, NumPy, TensorFlow, Keras, and OpenCV for brain tumor classification. OpenCV handles MRI image preprocessing tasks such as segmentation and normalization, which are crucial for accurate analysis. Convolutional Neural Networks (CNNs) implemented with TensorFlow and Keras offer precise tumor classification. NumPy supports data handling, pandas manages dataset organization, and Matplotlib produces visual representations of the results. The Brain Tumor Segmentation (BraTS 2021) dataset is used for training and testing. The performance is measured using accuracy, precision, recall, and F1-score. The CNN models like ResNet 50, Inception-V3, EfficientNetB3 and VGG16 is compared in the study to conclude with the optimal method to improve classification robustness. This study would enhance diagnostic tools in medical imaging by identifying an optimal algorithm for precision medicine, aiming for early diagnosis, improved treatment outcomes, reduced workload for healthcare professionals, and better public health.

Keywords: Deep Learning, Machine Learning, Brain Tumor Classification, Python, CNN.

1. Introduction

The complexity of brain tumors and the essential need for early and accurate diagnosis pose significant challenges in treatment, whether the tumors are benign or malignant. Traditional diagnostic methods, which often involve manual review of MRI scans by physicians, can be subjective and may lead to inconsistent results. These approaches are typically time-consuming and reliant on the expertise of radiologists, potentially causing variations in diagnoses. With the rise of machine learning (ML) and deep learning (DL) technologies, there is a significant opportunity to develop automated and objective classification systems. By adopting these innovative techniques, we can improve diagnostic accuracy, minimize variability, and support early detection, thereby enhancing patient outcomes. This research aims to develop an automated, precise, and effective approach for classifying brain tumors using advanced machine learning (ML) and deep learning (DL) methods and increase precision and diagnostic accuracy, enhancing the accuracy of brain tumor classification. [1,2]. Figure 1 depicts the structure of the human brain.




Figure 1. Basic Structure of the Human Brain

2. Related Work

Numerous studies have explored various approaches to brain tumor classification, ranging from traditional imaging processing techniques to advanced machine learning (ML) and deep learning (DL) models. These methods involve segmenting images and extracting features using manually defined techniques. Common approaches include edge detection, thresholding, and morphological operations for tumor segmentation and detection [1-3].

Machine learning approaches such as Support Vector Machines (SVM), Random Forests, and k-Nearest Neighbors (k-NN), three classic ML methods, have been used to analyze brain tumor categorization, often utilizing manually extracted features [7-9].

The introduction of Convolutional Neural Networks (CNNs) has transformed medical image analysis, offering cutting-edge performance across various tasks. CNNs automatically learn hierarchical features from raw image data, making them highly effective for complex pattern recognition tasks [4-6].

While significant progress has been made, current techniques continue to face challenges related to subjectivity and unpredictability in tumor classification. Conventional methods lack scalability and require manual intervention, which limits their effectiveness. Although machine learning techniques offer greater automation, they still depend on manually extracted features and may not capture all relevant details. Deep learning models have demonstrated high effectiveness, yet they often require large annotated datasets and substantial computational resources. This study aims to address these challenges by identifying an optimal method that enhances the accuracy in classification leading to early diagnosis, improved treatment and reduced work load.

3. Proposed Work

The flowchart in Figure 2 below shows the work flow of the proposed




Figure 2. Flowchart for Brain Tumor Detection and Classification

3.1 Dataset Description

The Brain Tumour Segmentation (BraTS 2021) is used in the research. It is made up of a collection of MRI images from several patients, each with ground truth annotations for different kinds of brain tumors, including both low- and high-grade. The dataset consists of multimodal MRI scans (including FLAIR, T1, T1Gd, and T2), providing thorough data for precise tumor examination. The Figure.3 below shows the samples of the dataset used in the study




Figure 3. Sample Dataset [11]

3.2 Data Preprocessing

Efficient preprocessing is essential for precise classification. MRI intensity measurements are standardized to ensure uniformity across scans and imaging techniques. Tumor areas are isolated using OpenCV from adjacent brain tissue, focusing the analysis on relevant regions. This stage involves methods like contouring, morphological processes, and threshold detection to accurately delineate the tumor boundaries. To achieve consistent intensity values across MRI images, pixel intensity data are normalized using z-score normalization and min-max scaling. Accurate delineation of tumor regions is essential. OpenCV functions are employed for tasks such as contour detection, image thresholding, and morphological operations (e.g., dilation and erosion) to separate tumor areas from surrounding brain tissue.

3.3 CNN Models

Convolutional Neural Networks (CNNs): CNNs are utilized to enhance image recognition. Their architecture generally includes several convolutional layers, pooling layers, and fully connected layers to identify intricate patterns in MRIs. Models like ResNet 50, Inception-V3, EfficientNetB3 and VGG16 are compared for tumor classification. Transfer Learning enables these pre-trained models which were initially trained on large datasets like

ImageNet to be fine-tuned with the BraTS 2021 dataset this improves the classification accuracy and generalization.

3.4 Framework and Tools

Pandas: Manages datasets, including tasks such as data reading and writing, handling missing values, and performing preliminary analysis.

NumPy: Enables efficient mathematical operations, including array manipulations, matrix operations, and statistical computations.

Matplotlib: Used for creating plots, histograms, and other graphical representations of data and results.

OpenCV: Applied for image processing tasks, including segmentation, augmentation, and normalization.

TensorFlow and Keras: Provide a comprehensive framework for building and training CNNs, essential for

4. Results and Discussion

Experiments were carried out with high-performance GPUs to accelerate the testing and training procedures. The software ecosystem consists of Keras, TensorFlow, and related libraries. The specifics of the setup are as follows:

High-performance GPUs, such as the NVIDIA Tesla or RTX series, to speed up the training process. The pretrained CNN models were imported from the Keras and fine-tuned on the BraTS 2021 dataset using transfer learning, in addition, essential libraries like pandas, NumPy, and OpenCV were used for data analysis and processing. 80% of the dataset was used for training and 20 % of the dataset was used for testing. The hyperparameters used in training are listed in the Table.1 below.

Table 1. Hyperparameters Used

Hyperparameter	Values
Learning Rate	1e-4 (decay to 1e-6) except EfficientNetB3 (decay to 1e-7)

Epochs	50
Dropout	0.5
Loss Function	Categorical Cross-Entropy

Transfer learning has proven effective for brain tumor classification using CNN models. Results from the BraTS 2021 dataset are summarized below. The model was evaluated on the performance metrics such as accuracy, Precision, F1-score, and recall and the results are summarized below. Table 2 compares precision, accuracy, recall, and F1-score for ResNet50, InceptionV3, EfficientNetB3 and VGG16.

Table 2. Performance Scores of CNN Models

Model	Accuracy	Precision	Recall	F1-Score
InceptionV3	86.2%	84.3%	85.1%	84.5%
EfficientNetB3	88.5%	86.3%	87.2%	86.8%
VGG16	83 %	81.56%	82.14%	81.8%
ResNet 50	84 %	83.78%	84.25%	83.9%

ResNet50, works well for image classification, but it doesn't perform as well as newer models. InceptionV3 is a bit better than ResNet50 because it has a more complex design and deeper layers. EfficientNetB3 provides the best out of these models, as it is well-optimized, giving high performance while being efficient. It generally shows better accuracy and generalization. VGG16, although simple and often used as a starting point, performs worse than ResNet50, InceptionV3, and EfficientNetB3, especially on more complicated datasets like BraTS 2021. The Table. 3 shows the misclassification rate of the each model

Table 3. Misclassification Rate

CNN Models	Misclassification Rate
InceptionV3	13.8%
EfficientNetB3	11.5%
VGG16	17%

ResNet 50	16%
-----------	-----

The misclassification rates represent the proportion of instances in which each model fails to accurately predict the correct class. Among the models evaluated, EfficientNetB3 and InceptionV3 demonstrate superior performance, exhibiting lower error rates. In contrast, VGG16 shows relatively higher misclassification rates, indicating a greater tendency to misclassify instances compared to the other models.

5. Future Work

The future work of the research aims to advance tumor analysis through several innovative approaches. The exploration of advanced models, such as U-Net, focuses on enhancing segmentation capabilities. The integration of multimodal data, incorporating modalities like PET imaging, seeks to enable a more comprehensive analysis of tumors. Additionally, the development of real-time analysis methods strives to provide solutions for the immediate classification and diagnosis of tumors, thereby facilitating timely clinical decision-making.

6. Conclusion

This research depicts how well deep learning methods work for classifying brain tumors. The study accomplished high tumour classification accuracy by using a Python-based system that makes use of CNNs and transfer learning. The results have a significant effect on the field of the healthcare and medical imaging. The effectiveness of the CNN-based strategy creates opportunities for more study in the fields of advanced diagnostic technologies and precision medicine. Moreover, the applicability of this technique extends beyond brain tumor classification, with the potential for broader use in medical imaging. This work paves the way for future advancements in automated medical image processing, contributing to the ongoing development of more accurate and efficient diagnostic tools.

References

- [1]enze, B. H., et al. (2015). The Multimodal Brain Tumor Image Segmentation Benchmark (BRATS). *IEEE Transactions on Medical Imaging*, 34(10), 1993-2024.
- [2] Simonyan, Karen, and Andrew Zisserman. "Very deep convolutional networks for large-scale image recognition." *arXiv preprint arXiv:1409.1556* (2014).
- [3] He, K., et al. (2016). Deep Residual Learning for Image Recognition. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 770- 778.
- [4] Abadi, Martín, Paul Barham, Jianmin Chen, Zhifeng Chen, Andy Davis, Jeffrey Dean, Matthieu Devin et al. "{TensorFlow}: a system for {Large-Scale} machine learning." In *12th USENIX symposium on operating systems design and implementation (OSDI 16)*, pp. 265-283. 2016.
- [5] Abiwinanda, Nyoman, Muhammad Hanif, S. Tafwida Hesaputra, Astri Handayani, and Tati Rajab Mengko. "Brain tumor classification using convolutional neural network." In *World Congress on Medical Physics and Biomedical Engineering 2018: June 3-8, 2018, Prague, Czech Republic (Vol. 1)*, pp. 183-189. Springer Singapore, 2019.
- [6] Mehrotra, Rajat, M. A. Ansari, Rajeev Agrawal, and R. S. Anand. "A transfer learning approach for AI-based classification of brain tumors." *Machine Learning with Applications 2* (2020): 100003.
- [7] Nagaraju, G., Rajiv Kumar Nath, P. Chinniah, K. Balasubramanian, S. Kirubakaran, and Balasubbareddy Mallala. "A Comparative analysis of Advanced Machine Learning Techniques for Enhancing Brain Tumor Detection." *Journal of Electrical Systems* 20, no. 2s (2024): 901-909.
- [8] Borole, Vipin Y., Sunil S. Nimbhore, and Dr Seema S. Kawthekar. "Image processing techniques for brain tumor detection: A review." *International Journal of Emerging Trends & Technology in Computer Science (IJETTCS)* 4, no. 5 (2015): 2.
- [9] Sharma, Neeraj, and Lalit M. Aggarwal. "Automated medical image segmentation techniques." *Journal of medical physics* 35, no. 1 (2010): 3-14.

- [10] Amin, Javaria, Muhammad Sharif, Anandakumar Haldorai, Mussarat Yasmin, and Ramesh Sundar Nayak. "Brain tumor detection and classification using machine learning: a comprehensive survey." *Complex & intelligent systems* 8, no. 4 (2022): 3161-3183

- [11] Qureshi, Shahzad Ahmad, Lal Hussain, Usama Ibrar, Eatedal Alabdulkreem, Mohamed K. Nour, Mohammed S. Alqahtani, Faisal Mohammed Nafie, Abdullah Mohamed, Gouse Pasha Mohammed, and Tim Q. Duong. "Radiogenomic classification for MGMT promoter methylation status using multi-omics fused feature space for least invasive diagnosis through mpMRI scans." *Scientific reports* 13, no. 1 (2023): 3291.